

# ***XPANDER***



# Specifications





# XPANDER



## SPECIFICATIONS

### GENERAL

	1.5L M/T	1.5L A/T*
Engine Type	MIVEC DOHC 16-valve 4-cylinder	MIVEC DOHC 16-valve 4-cylinder
Fuel System	ECI-Multi Point Fuel Injection	ECI-Multi Point Fuel Injection
Max. Output	77kW@6000rpm	77kW@6000rpm
Max. Torque	141Nm@4000rpm	141Nm@4000rpm
Transmission	5-speed M/T	4-speed A/T
Turning Radius	5.2m	5.2m
Ground Clearance	225mm	225mm
Fuel Tank Capacity	45L	45L
Fuel Consumption	6.7L/100km (Combined Cycle)	7.0L/100km (Combined Cycle)

### SAFETY FEATURES

- / RISE (Reinforced Impact Safety Evolution) Body Construction
- / Side-impact Protection Bars
- / ISOFIX Child Seat Anchors and Child Restraint
- / ABS (Anti-lock Braking System)
- / EBD (Electronic Brake-force Distribution)
- / SRS Single Stage Airbag (driver and passenger)
- / Pedestrian Protection
- / Child Protection Rear Door Locks
- / Side Impact Beam
- / Immobiliser

### INTERIOR

- / Tilt and Telescopic Adjustable Steering Column
- / Multi-function Steering Wheel
- / Bluetooth with Hands-free Voice Control
- / Multi-information Display
- / Air-conditioning
- / Rear Air Circulator
- / Electric Windows
- / Front USB Port
- / SDA Radio
- / Two 12V Socket \*
- / One 12V Socket

### EXTERIOR

- / Halogen Headlamp
- / Halogen Fog Lamps
- / High-mounted Stop Lamp and Position Light
- / Electrically Adjustable Fold-away Mirrors\* with Indicator Light
- / LED Manual DRL'S (Daytime Running Lights)
- / 16" Alloy Wheels
- / 17" Alloy Wheels\*

### SEATING

- / 7 Seats
- / Cargo Floor Box with Lid
- / 2<sup>nd</sup> and 3<sup>rd</sup> Row Side Pocket and Cup-holder
- / 60/40 Split Rear Seats with Flat-folding Function
- / Flat-folding Stowaway 3<sup>rd</sup> Row Seats



### MIVEC DOHC 16 VALVE ENGINE

The Xpander's smooth performance, low fuel consumption and reduced noise is the result of its highly durable 1.5 L MIVEC DOHC 16-Valve Aluminium Block Engine. This spirited engine, with advanced MIVEC, puts ample power at your command and more than enough torque to carry 7 people up steep mountain passes with ease.



### CLEVER STORAGE THROUGHOUT

Pay attention to detail to guests' needs. From the Double Compartment Glove Box to the Cargo Floor Box, the Xpander is designed to put every need within hands reach.



### 7-SEATER

Whether you're driving around town or vacationing with friends and family, the Xpander offers Flexible Seating creating plenty of space for up to seven people to travel in style allowing you to expand your lifestyle.

**Manufacturer's Warranty: 3 year / 100 000km. Road Side Assistance: 5 year Unlimited Mileage. Service Plan: 2 year / 30 000km. Service Intervals: Every 15 000km / 1 year.**

No responsibility is accepted for any errors or omissions. This content is not binding and Mitsubishi Motors reserves the right to make modifications without prior notice. All specifications subject to change without prior notice.



NEW  
**XPANDER  
CROSS**

---

  
**MITSUBISHI  
MOTORS**  
Drive your Ambition



## STANDARD & OPTIONAL EQUIPMENT

■ Standard – Not available

Model	MT	AT	CROSS	Model	MT	AT	CROSS
<b>Performance</b>				<b>Interior</b>			
1.5-litre 4-valve DOHC (4A91)	■	■	■	Accessory socket (DC12V)	■	■	■
195/65R16 +16" Alloy wheel	■	-	-	Instrument panel lower	■	■	■
205/55R17 +17" Alloy wheel	-	-	-	Floor console box	■	■	■
Spare wheel 195/65R16 +16" Steel wheel	■	-	-	Rear quarter trim	■	■	■
Spare wheel 205/55R17 +17" Alloy wheel	-	■	■	Floor carpet	■	■	■
Tool & jack	■	■	■	Needle punch carpet	■	■	■
<b>Exterior</b>				Underfloor luggage area storage	■	■	■
Front bumper (Colour-keyed)	■	■	■	<b>Safety &amp; Security</b>			
Front bumper garnish (Chrome)	■	■	■	Rearview camera	■	■	■
Front grille (Black paint)	■	■	-	Driver and passenger SRS airbags	■	■	■
Front grille (Metallic black)	-	-	-	Front 3-point seatbelt with Emergency Locking Retractor [ELR] with pretensioner x 2	■	■	■
Front lower garnish (Silver)	-	-	■	2nd row seat 3-point seatbelt with Emergency Locking Retractor [ELR] x 3	■	■	■
Front fog light bezel (Silver)	-	-	■	3rd row seat 3-point seatbelt with Emergency Locking Retractor [ELR] x 2	■	■	■
Side sill garnish (Material black)	-	-	■	Seatbelt reminder with buzzer (Driver seat, passenger seat)	■	■	■
Side door garnish (Silver)	-	-	■	Lower anchor and tether anchor for ISO-FIX child seat (for 2nd row seat) x 2	■	■	■
Wheel arch moulding (Material black)	-	-	■	Child safety lock (Rear door)	■	■	■
Roof rail (Black)	-	-	■	Side impact door beams (Front door, rear door)	■	■	■
Side window moulding (Chrome)	-	-	■	Pedestrian protection (Head protection and Leg protection)	■	■	■
Rear bumper (Colour-keyed)	■	■	■	Anti-lock Brake System [ABS] with Electronic Brake force Distribution [EBD]	■	-	-
Rear lower garnish (Silver)	-	-	■	Anti-lock Brake System [ABS] with Electronic Brake force Distribution [EBD] and Brake assist	-	■	■
Outer door handle (Colour-keyed)	■	■	-	Active Stability Control [ASC]	-	-	■
Outer door handle (Chrome)	-	-	■	Active Yaw Control [AYC]	-	-	■
Power folding door mirror with side turn signal (Electrically adjustable, chrome)	-	-	■	Hill Start Assist [HSA]	-	-	■
Windscreen glass (Laminated glass with UV ray reduction)	■	■	■	Emergency Stop Signal system [ESS]	■	■	■
Rear window defogger	■	■	■	Immobiliser	■	■	■
Under cover	■	■	■	Anti-theft alarm system	■	■	■
<b>Interior</b>				Manual transmission interlock	■	-	-
Electric power steering	■	■	■	Automatic transmission shift lock with key interlock	-	■	■
Tilt and telescopic steering wheel	■	■	■	<b>Utility</b>			
Leather-wrapped steering wheel (4 spoke type)	-	-	■	Rear manual cooler	■	■	■
Leather-wrapped gearshift knob	-	-	■	4 speaker	■	■	■
Gearshift panel with illumination	-	■	■	6 speaker	-	■	■
Parking brake lever	■	■	■	Central door locking system with centre door locking switch	■	■	■
Electric parking brake (Brake auto hold)	-	-	■	Speed sensing automatic central door lock with impact sensitive unlock mechanism	■	■	■
Steering switch	■	■	-	Keyless Operation System [KOS] (Transmitter x 2) with engine switch	-	-	■
Audio, hands-free phone, voice recognition	■	■	-	Tailgate handle (Electrical switch type)	■	■	■
Audio, hands-free phone, cruise control, multi-information display, voice recognition	-	-	■	Power window (Front door, rear door) with driver auto up/down and anti-trapping function	■	■	■
Seat material	■	-	-	Shark-fin antenna	-	■	■
Fabric	■	-	-	Cruise control	-	-	■
High-grade fabric	-	■	■	<b>Lighting and Visibility</b>			
Manual adjustable driver seat (Sliding, reclining, height (dial type))	■	■	■	LED headlight (High/low beam)	-	-	■
Passenger seat under tray	-	-	■	LED position light	■	■	■
Seatback pocket	■	■	■	Welcome light	■	■	■
Driver seat	-	■	■	Coming home light	■	■	■
Passenger seat	■	■	■	LED front fog light	-	-	■
Seatback multiple pocket	-	-	■	Rear combination light	■	■	■
Driver seat	-	-	■	LED high-mount stop light	■	■	■
Passenger seat	■	■	■	Room light (Front, rear)	■	■	■
2nd row seat sliding, reclining, tumble, seatback folding function (60:40 split type)	■	■	■	Front windscreen variable intermittent wiper with misting function	■	■	■
Cup holder (2nd row seat centre armrest x 2)	■	■	■	Rear window intermittent wiper	■	■	■
3rd row seat reclining function (50:50 split type) and flat luggage mode	■	■	■	<b>WARNING</b>			
Door panel accent (Silver)	■	■	■	•Individuals who use implantable pacemakers or implantable cardioverter-defibrillators should keep away from the Keyless Operation System [KOS]. The electromagnetic waves used in the KOS may affect the operation of implantable pacemakers or implantable cardioverter-defibrillators.			
Bottle holder (Front and rear door trim, quarter trim, both side)	■	■	■	•Individuals using other electro-medical apparatuses should check with the manufacturer of the apparatus to confirm the effect of the electromagnetic waves used by the KOS, as the electromagnetic waves may affect their operations..			
Soft pad trim with stitch	-	-	■				
Door pocket (Front door, Rear door)	■	■	■				
Power window switch panel (Carbon grain)	-	-	■				
Front and rear door inner door handle (Chrome)	-	■	■				
Dimming rearview mirror	■	■	■				
Driver sunvisor with ticket holder and vanity mirror (with lid)	■	■	■				
Passenger sunvisor with vanity mirror (with lid)	■	■	■				
Retractable assist grip (Passenger seat x 1, 2nd row seat x 2, 3rd row seat x 2)	-	■	■				
8 inch colour LCD meter	-	-	■				
Instrument panel tray	■	■	■				
Convenient hook	-	-	■				
Driver seat	-	-	■				
Passenger seat	■	■	■				
Glove box	■	■	■				
Floor console box	■	■	-				
with tray (Slide lid type)	■	■	-				
with armrest	-	-	■				
Cup holder (Floor console x 2)	■	■	■				
Scuff plate	■	■	■				
Rear quarter trim storage	■	■	■				
Front console open tray	■	■	■				
USB port for charging for 2nd row seat	-	-	■				

Manufacturer's Warranty: 3 year / 100 000km. Road Side Assistance: 5 year Unlimited Mileage.

Service Plan: 2 year / 30 000km. Service Intervals: Every 15 000km / 1 year

No responsibility is accepted for any errors or omissions. This content is not binding and Mitsubishi Motors reserves the right to make modifications without prior notice. All specifications subject to change without prior notice.



## TECHNICAL SPECIFICATIONS


		2WD	
		1.5-litre	
		5MT	4AT
		7-seater	
		NC1WLNMRV5	NC1WLRHRV5
		NC1WXRPHV5	
<b>Dimension &amp; Weight</b>			
Overall length	mm	4,595	
Overall width	mm	1,790	
Overall height	mm	1,750	
Wheelbase	mm	2,775	
Track	Front	1,520	
	Rear	1,510	
Ground clearance	mm	220	225
Gross vehicle weight	kg	1,840	1,860
<b>Fuel System</b>			
Fuel supply equipment		ECI-MULTI	
Fuel tank capacity	litres	45	
Fuel consumption (combined cycle)		6.7L/100km	7.0L/100km
<b>Engine</b>			
Type		4A91 (DOHC 4 Valve)	
Fuel type / octane		Unleaded (RON 90 & higher)	
Total displacement	cc	1,499	
Emission level		Euro 2	
Max. output	kW/rpm	77 / 6,000	
Max. torque	N·m/rpm	141 / 4,000	
<b>Transmission</b>			
Clutch		Single dry plate	
Gear ratio	1st	3.818	2.875
	2nd	2.055	1.568
	3rd	1.333	1.000
	4th	0.969	0.697
	5th	0.717	-
	Reverse	3.500	2.604
	Final	4.812	4.375
<b>Performance</b>			
Max. speed*1	km/h	170	
Acceleration*2 0-100km/h	sec.	12.7	15.4
Minimum turning radius	m	5.2	
<b>Steering</b>			
Type		Rack and pinion with electrical power assist	
<b>Suspension</b>			
Front		MacPherson strut	
Rear		Torsion beam	
<b>Brake</b>			
Front		Ventilated Disc	
Rear		Drum	
<b>Tyre</b>			
Tyres		195/65R16	205/55R17

\*1: Measured by MITSUBISHI MOTORS CORPORATION. Your actual mileage will vary depending on how you drive and maintain your vehicle.

\*2: Acceleration values vary depending on equipment level.

Note: These specifications are subject to change without notice. Please consult your local MITSUBISHI MOTORS dealer/distributor for detailed specifications.

## DIMENSIONAL VIEWS



All measurements in millimetres

Manufacturer's Warranty: 3 year / 100 000km. Road Side Assistance: 5 year Unlimited Mileage.  
Service Plan: 2 year / 30 000km. Service Intervals: Every 15 000km / 1 year

No responsibility is accepted for any errors or omissions. This content is not binding and Mitsubishi Motors reserves the right to make modifications without prior notice. All specifications subject to change without prior notice.

